

We have noted the following thirteen (13) typographical errors by Applicant.

Col. 2, line 49, "Ad" should read --An--.

Col. 2, line 53, "a" should read --are--.

Col. 2, line 66, "lcatcd" should read --located--.

Col. 3, line 33, after "extensions in" insert --a--.

Col. 3, lines 39-41, 45 and 49, after "of the" insert --bandsaw blade--.

Col. 6, line 47, after "body 20 is" delete "the".


Col. 7, line 14, "61 A" should read --61A--.

Col. 10, line 38, insert --the-- after "with".

Our Deposit Account 02-2556 should be charged in the amount of \$100. All errors are indicated on the attached form for Certificate of Correction.

It is respectfully requested that a Certificate of Correction be issued to correct these errors in the above-identified patent.

Respectfully submitted,



David C. Jenkins
Registration No. 42,691
Attorney for Applicant

(412) 566-1253

MAY 31 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,036,417
DATED : May 2, 2006
INVENTOR(S) : William George Alton

It is certified that errors appear in the above-identified patent and that said Letters Patent should be corrected as shown below:

Col. 2, line 49, "Ad" should read --An--.

Col. 2, line 53, "a" should read --are--.

Col. 2, line 66, "lcatcd" should read --located--.

Col. 3, line 33, after "extensions in" insert --a--.

Col. 3, lines 39-41, 45 and 49, after "of the" insert --bandsaw blade--.

Col. 6, line 47, after "body 20 is" delete "the".

Col. 7, line 14, "61 A" should read --61A--.

Col. 7, lines 53 and 54, "72B11" should read --72B1--.

Col. 9, line 14, "aid" should read --said--.

Col. 10, line 38, insert --the-- after "with".

1 of 1

MAILING ADDRESS OF SENDER:

Sally Novosel, Docket Administrator
ECKERT SEAMANS CHERIN & MELLOTT, LLC
600 Grant Street, 44th Floor
Pittsburgh, PA 15219

PATENT NO. 7,036,417

No. of add'l. copies

@ 50¢ per page

⇒

MAY 21 2006